

UNDERWATER SYSTEMS GROUP

RANGE INSTRUMENTATION TAPE RECORDER SURVEY

19961029 093

WHITE SANDS MISSILE RANGE KWAJALEIN MISSILE RANGE YUMA PROVING GROUND DUGWAY PROVING GROUND ABERDEEN TEST CENTER

ATLANTIC FLEET WEAPONS TRAINING FACILITY
NAVAL AIR WARFARE CENTER WEAPONS DIVISION
NAVAL AIR WARFARE CENTER AIRCRAFT DIVISION
NAVAL UNDERSEA WARFARE CENTER DIVISION, NEWPORT
PACIFIC MISSILE RANGE FACILITY

30TH SPACE WING
45TH SPACE WING
AIR FORCE FLIGHT TEST CENTER
AIR FORCE DEVELOPMENT TEST CENTER
AIR WARFARE CENTER
ARNOLD ENGINEERING DEVELOPMENT CENTER

DISTRIBUTION A: APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden. to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave bla	AGENCY USE ONLY (Leave blank) 2. REPORT DATE 3. REPORT TYPE AND DATES COVERED OCTOBER 1996		
4. TITLE AND SUBTITLE	OCTOBER 1996		5. FUNDING NUMBERS
RANGE INSTRUMENTATION	TAPE RECORDER SURVE	Y	J. Fotomog Homberts
6. AUTHOR(S)			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Underwater Systems Group Range Commanders Council White Sands Missile Range, NM 88002-5110			8. PERFORMING ORGANIZATION REPORT NUMBER RCC Document 405-96
9. SPONSORING/MONITORING AG STEWS-RCC Range Commanders Coun- White Sands Missile R	cil	(ES)	10. SPONSORING/MONITORING AGENCY REPORT NUMBER same as block 8
11. SUPPLEMENTARY NOTES			
New document		-	
12a. DISTRIBUTION / AVAILABILITY	STATEMENT		12b. DISTRIBUTION CODE
Approved for Public D Distribution is Unlim			
13. ABSTRACT (Maximum 200 work	ds)		
A copy of the tape reby the Underwater Systhe Range Commanders might not yield signito common recorder state.	tems, Telemetry, and Council. Lack of pa ficant savings and t	Data Reduction ar rticipation sugges here is not suffic	d Computer groups of ted this initiative
14. SUBJECT TERMS			15. NUMBER OF PAGES 12
recorder standards			16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFIC OF ABSTRACT	CATION 20. LIMITATION OF ABSTRACT
none	none	none	none

GENERAL INSTRUCTIONS FOR COMPLETING SF 298

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to stay within the lines to meet optical scanning requirements.

- Block 1. Agency Use Only (Leave blank).
- Block 2. <u>Report Date</u>. Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.
- Block 3. Type of Report and Dates Covered. State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 30 Jun 88).
- Block 4. <u>Title and Subtitle</u>. A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.
- Block 5. Funding Numbers. To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract PR - Project
G - Grant TA - Task
PE - Program WU - Work Unit
Element Accession No.

Block 6. <u>Author(s)</u>. Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).

- Block 7. <u>Performing Organization Name(s) and Address(es)</u>. Self-explanatory.
- Block 8. Performing Organization Report Number. Enter the unique alphanumeric report number(s) assigned by the organization performing the report.
- Block 9. Sponsoring/Monitoring Agency Name(s) and Address(es). Self-explanatory.
- Block 10. Sponsoring/Monitoring Agency Report Number. (If known)

Block 11. Supplementary Notes. Enter information not included elsewhere such as: Prepared in cooperation with...; Trans. of...; To be published in.... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

Block 12a. <u>Distribution/Availability Statement</u>. Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, ITAR).

DOD - See DoDD 5230.24, "Distribution Statements on Technical Documents."

DOE - See authorities.

NASA - See Handbook NHB 2200.2.

NTIS - Leave blank.

Block 12b. Distribution Code.

DOD - Leave blank.

DOE - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.

NASA - Leave blank. NTIS - Leave blank.

- Block 13. Abstract. Include a brief (Maximum 200 words) factual summary of the most significant information contained in the report.
- Block 14. <u>Subject Terms</u>. Keywords or phrases identifying major subjects in the report.
- Block 15. <u>Number of Pages</u>. Enter the total number of pages.
- Block 16. Price Code. Enter appropriate price code (NTIS only).
- Blocks 17. 19. Security Classifications. Selfexplanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.
- Block 20. <u>Limitation of Abstract</u>. This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.

DOCUMENT 405-96

RANGE INSTRUMENTATION TAPE RECORDER SURVEY

OCTOBER 1996

Prepared by

UNDERWATER SYSTEMS GROUP RANGE COMMANDERS COUNCIL

Published by

Secretariat
Range Commanders Council
U.S. Army White Sands Missile Range,
New Mexico 88002-5110

RANGE INSTRUMENTATION TAPE RECORDER SURVEY

INTRODUCTION

The Range Instrumentation Tape Recorder Survey task was initiated with the expectation that one or several common tape recorder standards could be adopted by Navy ranges, resulting in cost savings based on improved compatibility. Ranges would be able to leverage the commonality through more effective sharing of data and equipment as well as maintenance resources. A survey questionnaire was developed and disseminated to the range community represented by the Underwater Systems, Telemetry, and Data Reduction and Computer groups of the Range Commanders Council. Only minimal response was received and follow-up phone surveys yielded little improvement to the data sampling. The lack of response suggested that this initiative might not yield significant savings and that there is not sufficient need or desire for common recorder standards at this time. Consequently, it seems to be in the best interest of the Underwater Systems Group to close out this task without recommending specific tape recorder standards. However, it is still instructive for this report to address some of the important issues identified during the tape recorder evaluation process.

RANGE TAPE RECORDER SURVEY

The survey (see appendix A) asked each respondent to identify current and planned recorder assets in terms of capability and application. It also requested salient characteristics of the ideal range recorder and the make and model if it currently exists. The viability of a central maintenance repair depot was addressed, and finally whether an appropriate standard is already (or soon to be) available elsewhere. A consensus on one or more recorders was not achieved. Some responses suggested that tape recorders would not be replaced but that current computer storage technologies would be used as appropriate for the data volume and speed required.

RANGE DATA ARCHIVING SOLUTIONS

Virtually all Navy ranges have requirements to record both analog and digital data. The data comes from a variety of sources requiring one to several hundred channels at a variety of bandwidths and dynamic range. Most analog recorders today are really digital recorders with built-in A/D converters of specific dynamic range and frequency to accommodate the signal of interest. They may also be supported by multiplexors to accommodate the number of channels required.

In strictly digital environments, a large variety of more cost effective commercial-off-the-shelf (COTS) solutions have become available from the computer sector, and range sites can readily support most of them on a variety of computer platforms.

These recording solutions include DAT, 8mm, CD-ROM, optical disk, and conventional disk to name a few. These technologies continue to improve at a rapid pace, providing economical solutions to the most demanding data archiving requirements. Furthermore, the use of local and wide area networking can all but eliminate the need for special purpose recorders to accommodate shared data files. Each site has the flexibility to use its own data storage resources via the network.

At the time of the survey, the two most popular recorders were the Metrum RSR-512 and the Racal Storeplex. These recorders use conventional VHS format tape and provide bandwidth that can be easily subdivided to support the channel requirements. For direct recording of analog signals above 20 kHz, the Metrum continues to be one of the only viable COTS recorders available.

At Naval Undersea Warfare Center Division Keyport, the Metrum RSR-512 has been selected and purchased in volume to meet analog acoustic recording requirements. A savings was realized through reduced procurement expense, common maintenance and parts substitution, common tape media, and common operator training. Over the past few years, the steadily increasing capacities of computer disk drives and tape archiving systems have allowed migration of much of our digitized analog data storage to these less expensive and more readily accessible peripherals. The Metrum recorders may eventually be replaced by portable computers augmented with peripherals to perform A/D/A conversion, multiplexing, time code generation, and data storage functions.

Appendix A: RCC Range Instrumentation Tape Recorder Survey

<u>Background</u>. The Underwater Systems Group, at their winter 1992 meeting, proposed conducting a survey of range instrumentation recorders to (1) determine if an ad hoc standard could be identified which would allow sharing of tape recorder assests among ranges, and (2) document existing recording conventions so that range data could be transferred among activities more easily. The Range Commanders Council has asked that this survey be extended to include the Telemetry Group and the Data Reduction and Computer Group.

Responden	t Information:				
Name:_			Code:		
Activity	:	······	Telephone:		
Address	3:		Fax:		
		·			
What pe	ercentage of you	r activities assets	does this respon	se address?	%
Current As	sets: Please pro	ovide information	for those recorde	rs you curre	ntly own.
		NUMBER OF			
Current As	sets: Please pro			ers you curre	ntly own. APPLICATION
		NUMBER OF			
		NUMBER OF			
		NUMBER OF			
MAKE		NUMBER OF			
MAKE		NUMBER OF			
MAKE		NUMBER OF			
MAKE		NUMBER OF			

3.	Repla	cement/Augmentation	Plans:
----	-------	---------------------	--------

a. Current Year (FY-93):

MAKE	MODEL	NUMBER OF CHANNELS	QUANTITY	AGE	APPLICATION
		:			

b. Out Years (Through FY-96):

MAKE	MODEL	NUMBER OF CHANNELS	QUANTITY	AGE	APPLICATION

o. Direct/FM:			
. Maximum Bandwidth	ı:		<u> </u>
Per Channel:			
Total Aggregate:			
l. Maximum Size:			
e. Maximum Weight:			
. Power Specification (A	AC/DC/Battery)):	
g. Environmental Cons	derations:		
. Input Channels:		r/RAM/Optical Disk):	
. Input Channels: Analog:			
. Input Channels: Analog: Digital:			
. Input Channels: Analog: Digital: Output Channels:			
. Input Channels: Analog: Digital: Output Channels: Analog:			
. Input Channels: Analog: Digital: Output Channels: Analog:			
. Input Channels: Analog: Digital: Output Channels: Analog: Digital:	patibility Requi	rements:	
. Input Channels: Analog: Digital: Output Channels: Analog: Digital: C. Data Exchange Comp	patibility Requi	rements:	
. Input Channels: Analog: Digital: Output Channels: Analog: Digital: c. Data Exchange Comp	patibility Requi Yes: Yes:	rements: No:	

6. Your Choice for a Recorder:

MAKE	MODEL	NUMBER OF CHANNELS

7. Recording Conventions: How you lay out your data collection to ensure repeatability and ease of playback and annotation.

CHANNEL NUMBER	DATA TYPE
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	

CHANNEL NUMBER	DATA TYPE
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	

ABBREVIATION CONVENTIONS:

A = Analog	FM = FM	IRIG = IRIG (Time Code)
D = Digital	Io = Io	V = Voice

Other:

8. Recorder Maintenance Consid	deration:
Would you utilize a central mai	intenance repair depot, if made available? Yes No
9. Core Data Recorder Considera	ations:
Standard already exists:	
What?	
☐ It's coming:	
From Where?	
☐ We Should Wait and See:	·
How Long?	
☐ Who Cares?	
Name?	Are you really sure that you want to put your name here??
10. CONGRATULATIONS, YOU A	
Please return this questionnaire	(before 30 September 1993) to
	Richard R. Peel Head, Tracking Systems Division
Mail responses to	Commander NAVUNSEAWARCENDIV ATTN: Code 572 610 Dowell Street Keyport, WA 98345-7610
Or fax to	(206) 396-7165